



Easy access.

The LP 3500 Series improves picking productivity with diagonal travel for free-ranging operations, which allows the operator to lift or lower the platform while travelling inside or outside of aisles. Speed is

When you have fast-moving products or critical parts, you need easy

access. Do you have limited space at ground level? The LP 3500 Series provides a winning strategy by raising order picking to the second and third levels. You will benefit from blended lift, traction and steering controls, reliable engineering, durable construction and performance-enhancing features. Pick what you need, easily.

Side gates, required at heights above 1.2 m, have three cross bars that easily raise and gently lower to a soft stop due to a built-in shock absorber. Operators may travel and lift with gates open up to heights of 1.2 m.

adjusted automatically in proportion to the platform height and steer angle. The operator compartment features ergonomic controls and display, easy access

from either side, a low step height, thick rubber mat to reduce fatigue and optional Work Assist[™] accessories to improve comfort and efficiency in a wide range of tasks.

Fork-side controls, available as an option on lifting fork models, improve visibility and operator efficiency for forks-first travel and picking.



S

Simplified service

results from a large hinged cover for easily accessible internal components.

AC electronic steering, gives the operator smooth, effortless control for easier manoeuvrabilitv and handling.

S

Crown

Operators benefit from ergonomic, electronic controls featuring light-touch activation, electronic steering, three performance level settings, key switch or PIN start-up and concise operator messages on the easy-to-read display.



The AC traction motor and controller deliver reliable power at speeds up to 10.5 km/h, as well as confident handling with automatic, progressive speed reduction based on steering angle and lift height.

Regenerative motor braking eliminates maintenance required by mechanical brakes and contributes to smoother stopping at all platform heights.

The battery compartment

accommodates either 450 Ah or 625 Ah batteries and features horizontal nylon guides for smooth battery exchange. Battery rollers are available for applications requiring more frequent battery exchanges.



Faster access begins here.

You have four ways to save space, time and resources with the LP 3500 Series. The family includes two fixed fork and two lifting fork versions, all featuring durable construction and reliable performance for loads up to 1000 kg.

Fixed Fork

Second-level

The second-level order picker with fixed forks provides fast access of bulky products and packages.



Third-level




Lifting Fork

Second-level

Designed for second-level order picking of small or heavy parts, this order picker features auxiliary lifting forks, which keep the load at an optimal height to reduce bending and awkward handling.





Third-level

ANOMU

10 – M01415-006-01

www.crown.com